

Contents

No. 1— 1–132 issued 17 October 1994
 No. 2— 133–264 issued 28 October 1994
 No. 3— 265–396 issued 1 November 1994
 No. 4— 397–528 issued 15 November 1994
 No. 5— 529–660 issued 1 December 1994
 No. 6— 661–790 issued 15 December 1994

- Aamand JL, Hobson AH, Buckley CM, Jørgensen ST, Diderichsen B, McConnell DJ: Chaperone-mediated activation in vivo of a *Pseudomonas cepacia* lipase 556
- Abbo S → Cheung WY 349
- Aebi M → Lee A 32
- Aguilera A → Santos-Rosa H 224
- Alberti M → Hundle B 406
- Althaus FR → Collinge MA 686
- Apel K → Schrader-Fischer G 380
- Armstrong GA → Hundle B 406
- Arruda P → Freitas FA de 177
- Arst HN Jr, Bignell E, Tilburn J: Two new genes involved in signalling ambient pH in *Aspergillus nidulans* 787
- Asai Y → Vertès AA 397
- Averbeck D → Meira LB 750
- Aves SJ → Carr AM 628
- Awasaki T → Yoshida K 577
- Bahman AM → Sherlock G 716
- Bahri SM, Chia W: DPhK- γ , a putative *Drosophila* kinase with homology to vertebrate phosphorylase kinase γ subunits: molecular characterisation of the gene and phenotypic analysis of loss of function mutants 588
- Baker HV → Henry YAL 506
- Balles J, Pflugfelder GO: Facilitated isolation of rare recombinants by ligase chain reaction: selection for intragenic cross-over events in the *Drosophila optomotor-blind* gene 734
- Bánfalvi Z, Kostyal Z, Barta E: *Solanum brevidens* possesses a non-sucrose-inducible patatin gene 517
- Baniahmad C → Nawaz Z 724
- Banno H → Ito Y 1
- Barbé J → Riera J 523
- Barta E → Bánfalvi Z 517
- Bauer M, Behrens M, Esser K, Michaelis G, Pratje E: PET1402, a nuclear gene required for proteolytic processing of cytochrome oxidase subunit 2 in yeast 272
- Behrens M → Bauer M 272
- Bellec Y → Chupeau M-C 139
- Beppu T → Inouye M 456
- Beresford TPJ → Lubbers MW 160
- Bey F → Coux O 769
- Beyer P → Hundle B 406
- Biessmann H → Wang M 598
- Bignell E → Arst HN Jr 787
- Bitter W, Leeuwen IS van, Boer J de, Zomer HWM, Koster MC, Weisbek PJ, Tommassen J: Localization of functional domains in the *Escherichia coli* coprogen receptor FhuE and the *Pseudomonas putida* ferric-pseudobactin 358 receptor PupA 694
- Biyashev RM → Yang GP 187
- Blecken J, Weisshaar B, Herzfeld F: Two distinct *cis*-acting elements are involved in light-dependent activation of the pea *elip* promoter 371
- Blight MA, Pimenta AL, Lazzaroni J-C, Dando C, Kotelevets L, Séror SJ, Holland IB: Identification and preliminary characterization of temperature-sensitive mutations affecting HlyB, the translocator required for the secretion of haemolysin (HlyA) from *Escherichia coli* 431
- Boer J de → Bitter W 694
- Boer RW de → Mulder W 96
- Boy-Marcotte E → Camus C 167
- Braun HP → Emmermann M 237
- Bravo A, Hermoso JM, Salas M: A genetic approach to the identification of functional amino acids in protein p6 of *Bacillus subtilis* phage ϕ 29 529
- Bremer E → Dersch P 255
- Bruijn FJ de → Rossbach S 11
- Brunner F → Heitz T 246
- Buckley CM → Aamand JL 556
- Burke DH → Hundle B 406
- Burris TP → Nawaz Z 724
- Camus C, Boy-Marcotte E, Jacquet M: Two subclasses of guanine exchange factor (GEF) domains revealed by comparison of activities of chimeric genes constructed from *CDC25*, *SDC25* and *BUD5* in *Saccharomyces cerevisiae* 167
- Carr AM, Dorrington SM, Hindley J, Phear GA, Aves SJ, Nurse P: Analysis of a histone H2A variant from fission yeast: evidence for a role in chromosome stability 628
- Casseltan LA → Kües U 45
- Chakraborty T → Jarchau T 53
- Chambers A → Henry YAL 506
- Champion LE → Wang M 598
- Chang Y-S → Lin T-P 417
- Chattoo BB → Kachroo P 339
- Chen RD, Yu LX, Greer AF, Cheriti H, Tabacizadeh Z: Isolation of an osmotic stress- and abscisic acid-induced gene encoding an acidic endochitinase from *Ly-copersicon chilense* 195
- Cheriti H → Chen RD 195
- Cheung WY, Money TA, Abbo S, Devos KM, Gale MD, Moore G: A family of related sequences associated with (TTTAGGG) $_n$ repeats are located in the interstitial regions of wheat chromosomes 349
- Chia W → Bahri SM 588
- Chiang T-Y, Rai R, Cooper TG, Marzluf GA: DNA binding site specificity of the *Neurospora* global nitrogen regulatory protein NIT2: Analysis with mutated binding sites 512
- Choi YK → Kim YS 146
- Chupeau M-C, Maisonneuve B, Bellec Y, Chupeau Y: A *Lactuca* Universal Hybridizer, and its use in creation of fertile interspecific somatic hybrids 139
- Chupeau Y → Chupeau M-C 139
- Clark KL → Lee A 32
- Clark MW → Lee A 32
- Coleman CE → Lopes MA 537
- Collinge MA, Althaus FR: Expression of human poly(ADP-ribose) polymerase in *Saccharomyces cerevisiae* 686
- Contursi C → Minchiotti G 152
- Cooper TG → Chiang T-Y 512
- Coux O, Nothwang HG, Silva Pereira I, Recillas Targa F, Bey F, Scherrer K: Phylogenetic relationships of the amino acid sequences of prosome (proteasome, MCP) subunits 769
- Dando C → Blight MA 431
- De Ruffray P → Otten L 493
- Dean C → Lawson EJR 608
- Dersch P, Kneip S, Bremer E: The nucleoid-associated DNA-binding protein H-NS is required for the efficient adaptation of *Escherichia coli* K-12 to a cold environment 255
- Devos KM → Cheung WY 349
- Diderichsen B → Aamand JL 556
- Dixon R → Screen S 313
- Dorrington SM → Carr AM 628
- Drapkin PT → Lovett ST 294
- Duchêne A-M, Thompson CJ, Mazodier P: Transcriptional analysis of *groEL* genes in *Streptomyces coelicolor* A3(2) 61
- Dufour M-E → Mandart E 323
- Emmermann M, Braun HP, Schmitz UK: The mitochondrial processing peptidase form potato: a self-processing enzyme encoded by two differentially expressed genes 237
- Endo TR → Hohmann U 644
- Ernst JF → Leuker CE 212
- Esser K → Bauer M 272
- Feldmann KA → Kowalski SP 548

- Ferreira M → Sherlock G 716
 Fleischmann M → Lee A 32
 Flint HJ → Zhang J-X 260
 Fontdevila A → Labrador M 661
 Freitas FA de, Yunes JA, Silva MJ da, Arruda P, Leite A: Structural characterization and promoter activity analysis of the γ -kafirin gene from sorghum 177
 Fritig B → Heitz T 246
 Frova C, Sari-Gorla M: Quantitative trait loci (QTLs) for pollen thermotolerance detected in maize 424
 Fuchs RPP → Janel-Bintz R 279
 Fuchs RPP → Roy A 69
 Fukui K → Kamisugi Y 133
 Fullner KJ, Stephens KM, Nester EW: An essential virulence protein of *Agrobacterium tumefaciens*, VirB4, requires an intact mononucleotide binding domain to function in transfer of T-DNA 704
- Gale MD → Cheung WY 349
 Garcia F → Jarchau T 53
 Gargiulo G → Minchiotti G 152
 Garriga X → Riera J 523
 Gentschev I → Schüle R 203
 Geoffroy P → Heitz T 246
 Gibbs JM → Henry YAL 506
 Gieser PT → Kues U 45
 Gill BS → Hohmann U 644
 Gill KS → Hohmann U 644
 Glover D → Warbrick E 654
 Gluckman TJ → Lovett ST 294
 Goebel W → Jarchau T 53
 Goebel W → Schüle R 203
 Graziani F → Minchiotti G 152
 Greer AF → Chen RD 195
 Grivell LA → Mulder W 96
 Gross R → Schüle R 203
 Grzesiuk E, Janion C: The frequency of MMS-induced, *umuDC*-dependent, mutations declines during starvation in *Escherichia coli* 486
- Hashiba T → Hongo M 265
 Haughn GW → Katavic V 363
 Hearst JE → Hundle B 406
 Heitz T, Second S, Kauffmann S, Geoffroy P, Prasad V, Brunner F, Fritig B, Legrand M: Molecular characterization of a novel tobacco pathogenesis-related (PR) protein: a new plant chitinase/lysozyme 246
 Henestrosa ARF de → Riera J 523
 Henriques JAP → Meira LB 750
 Henry YAL, López MC, Gibbs JM, Chambers A, Kingsman SM, Baker HV, Stanway CA: The yeast protein Gcr1p binds to the *PGK* UAS and contributes to the activation of transcription of the *PGK* gene 506
 Herget T → Wegener D 465
 Hermoso JM → Bravo A 529
 Herzfeld F → Blecken J 371
 Hindley J → Carr AM 628
 Hobson AH → Aamand JL 556
 Hohmann U, Endo TR, Gill KS, Gill BS: Comparison of genetic and physical maps of group 7 chromosomes from *Triticum aestivum* L. 644
 Holland IB → Blight MA 431
- Hongo M, Miyasaka A, Suzuki F, Hashiba T: Expression of the linear DNA plasmid pRS64 in the plant pathogenic fungus *Rhizoctonia solani* 265
 Hori SH → Yoshida K 577
 Horinouchi S → Inouye M 456
 Hundle B, Alberti M, Nievelstein V, Beyer P, Kleinig H, Armstrong GA, Burke DH, Hearst JE: Functional assignment of *Erwinia herbicola* Eho 10 carotenoid genes expressed in *Escherichia coli* 406
- Inouye M, Takada Y, Muto N, Beppu T, Horinouchi S: Characterization and expression of a P-450-like mycinamicin biosynthesis gene using a novel *Microspora Escherichia coli* shuttle cosmid vector 456
 Inui M → Vertès AA 397
 Ito Y, Banno H, Moribe T, Machida KHY: NPK15, a tobacco protein-serine/threonine kinase with a single hydrophobic region near the amino-terminus 1
- Jacobs HT → Sowards R 760
 Jacquet M → Camus C 167
 Janel-Bintz R, Maenhaut-Michel G, Fuchs RPP: MucAB but not UmuDC proteins enhance -2 frameshift mutagenesis induced by N-2-acetylaminofluorene at alternating GC sequences 279
 Janion C → Grzesiuk E 486
 Jarchau T, Chakraborty T, Garcia F, Goebel W: Selection for transport competence of C-terminal polypeptides derived from *Escherichia coli* hemolysin: the shortest peptide capable of autonomous HlyB/HlyD-dependent secretion comprises the C-terminal 62 amino acids of HlyA 53
 Jarvis AW → Lubbers MW 160
 Jarvis BDW → Lubbers MW 160
 Jimenez J, Oballe J: Ethanol-hypersensitive and ethanol-dependent *cdc*⁻ mutants in *Schizosaccharomyces pombe* 86
 Jones JDG → Lawson EJR 608
 Jørgensen ST → Aamand JL 556
 Juni N → Yoshida K 577
 Kachroo P, Leong SA, Chattoo BB: Pot2, an inverted repeat transposon from the rice blast fungus *Magnaporthe grisea* 339
- Kalnín VV → Tokarskaya ON 658
 Kamisugi Y, Nakayama S, Nakajima R, Ohtsubo H, Ohtsubo E, Fukui K: Physical mapping of the 5S ribosomal RNA genes on rice chromosome 11 133
 Katavic V, Haughn GW, Reed D, Martin M, Kunst L: *In planta* transformation of *Arabidopsis thaliana* 363
 Katerov V, Schälén C, Totolian AA: Sequencing of genes within the *vir* regulon of *Streptococcus pyogenes* type M15 – an opacity factor-positive serotype with low opacity factor expression 78
 Kauffmann S → Heitz T 246
 Kikuchi A → Kikuchi Y 107
 Kikuchi Y, Oka Y, Kobayashi M, Uesono T, Toh-e A, Kikuchi A: A new yeast gene, *HTR1*, required for growth at high temperature, is needed for recovery from mating pheromone-induced G1 arrest 107
- Kim C-H → Kim YS 146
 Kim MH → Kim YS 146
 Kim YS, Kim MH, Choi YK, Kim C-H, Lee D-S: Allelic divergence in the human insulin gene provides evidence for intra-genic recombination events in the non-coding regions: evidence for existence of new alleles 146
 Kingsman SM → Henry YAL 506
 Kleinig H → Hundle B 406
 Kneip S → Dersch P 255
 Kobayashi M → Kikuchi Y 107
 Kobayashi M → Vertès AA 397
 Kodrzycki R → Lopes MA 537
 Kolot M, Yagil E: Position and direction of strand exchange in bacteriophage HKO22 integration 623
 Koster MC → Bitter W 694
 Kostyál Z → Bánfalvi Z 517
 Kotelevts L → Blight MA 431
 Kowalski SP, Lan T-H, Feldmann KA, Paterson AH: QTL mapping of naturally-occurring variation in flowering time of *Arabidopsis thaliana* 548
 Kreis M → Le Guen L 390
 Krolkiewicz S, Sängler HL, Niesbach-Klösgen U: Structural and functional characterisation of the signal recognition particle-specific 54 kDa protein (SRP54) of tomato 565
 Kues U, Tymon AM, Richardson WVJ, May G, Gieser PT, Casselton LA: A mating-type factors of *Coprinus cinereus* have variable numbers of specificity genes encoding two classes of homeodomain proteins 45
 Kulpa DA → Rossbach S 11
 Kunst L → Katavic V 363
 Kurusu Y → Vertès AA 397
- Labrador M, Fontdevila A: High transposition rates of *Osvaldo*, a new *Drosophila buzzatii* retrotransposon 661
 Lacroute F → Mandart E 323
 Lai E-M → Lin T-P 417
 Lan T-H → Kowalski SP 548
 Larkins BA → Lopes MA 537
 Lawson EJR, Scofield SR, Sjodin C, Jones JDG, Dean C: Modification of the 5' untranslated leader region of the maize *Activator* element leads to increased activity in *Arabidopsis* 608
 Lazzaroni J-C → Blight MA 431
 Le Guen L, Thomas M, Kreis M: Gene density and organization in a small region of the *Arabidopsis thaliana* genome 390
 Lee A, Clark KL, Fleischmann M, Aebi M, Clark MW: Site-directed mutagenesis of the yeast PRP20/SRM1 gene reveals distinct activity domains in the protein product 32
 Lee D-S → Kim YS 146
 Leer RJ → Lokman BC 117
 Leeuwen IS van → Bitter W 694
 Legrand M → Heitz T 246
 Leite A → Freitas FA de 177

- Lending CR → Lopes MA 537
 Leong J → Venturi V 126
 Leong SA → Kachroo P 339
 Leuker CE, Ernst JF: Toxicity of a heterologous leucyl-tRNA (anticodon CAG) in the pathogen *Candida albicans*: in vivo evidence for non-standard decoding of CUG codons 212
 Lin T-P, Lai E-M, To K-Y, Chang Y-S, Liu S-T: Transcriptional activation of flanking sequences by Tn1000 insertion 417
 Liu S-T → Lin T-P 417
 Lokman BC, Leer RJ, Sorge R van, Pouwels PH: Promotor analysis and transcriptional regulation of *Lactobacillus pentosus* genes involved in xylose catabolism 117
 Lönnig W-E, Saedler H: The homeotic *Macho* mutant of *Antirrhinum majus* reverts to wild-type or mutates to the homeotic *plena* phenotype 636
 Lopes MA, Coleman CE, Kodrzycki R, Lending CR, Larkins BA: Synthesis of an unusual α -zein protein is correlated with the phenotypic effects of the *floury2* mutation in maize 537
 López MC → Henry YAL 506
 Lovett ST, Gluckman TJ, Simon PJ, Suter VA Jr, Drapkin PT: Recombination between repeats in *Escherichia coli* by a *recA*-independent, proximity-sensitive mechanism 294
 Lubbers MW, Ward LJH, Beresford TPJ, Jarvis BDW, Jarvis AW: Sequencing and analysis of the *cos* region of the lactococcal bacteriophage c2 160
 Machida KHY → Ito Y 1
 Maenhaut-Michel G → Janel-Bintz R 279
 Magaña-Schwencke N → Meira LB 750
 Mahal A → Sherlock G 716
 Maisonneuve B → Chupéau M-C 139
 Mandart E, Dufour M-E, Lacroute F: Inactivation of *SSM4*, a new *Saccharomyces cerevisiae* gene, suppresses mRNA instability due to *rna14* mutations 323
 Maroof MAS → Yang GP 187
 Martin J → Zhang J-X 260
 Martin M → Katavic V 363
 Marzluf GA → Chiang T-Y 512
 Mason JM → Wang M 598
 Matsubara A → Nishizawa M 301
 Matsuda Y → Tenzen T 441
 Matzke AJM → Matzke MA 471
 Matzke MA, Moscone EA, Park Y-D, Papp I, Oberkofler H, Neuhuber F, Matzke AJM: Inheritance and expression of a transgene insert in an aneuploid tobacco line 471
 May G → Kües U 45
 Mazodier P → Duchêne A-M 61
 McConnell DJ → Aamand JL 556
 Meira LB, Magaña-Schwencke N, Averbeck D, Henriques JAP: Involvement of the *PSO3* gene of *Saccharomyces cerevisiae* in intrachromosomal mitotic recombination and gene amplification 750
 Michaelis G → Bauer M 272
 Minchiotti G, Contursi C, Graziani F, Gargiulo G, Nocera Di PP: Expression of *Drosophila melanogaster* F elements in vivo 152
 Miyasaka A → Hongo M 265
 Mollet B → Zwaalen M-C 334
 Money TA → Cheung WY 349
 Moore G → Cheung WY 349
 Mori H, Palmer RE, Sternberg PW: The identification of a *Caenorhabditis elegans* homolog of p34^{cdc2} kinase 781
 Moribe T → Ito Y 1
 Moscone EA → Matzke MA 471
 Mulder W, Scholten IHJM, Boer RW de, Grivell LA: Sequence of the HAP3 transcription factor of *Kluyveromyces lactis* predicts the presence of a novel 4-cysteine zinc-finger motif 96
 Muto N → Inouye M 456
 Nakajima R → Kamisugi Y 133
 Nakayama S → Kamisugi Y 133
 Nawaz Z, Baniahmad C, Burris TP, Stillman DJ, O'Malley BW, Tsai M-J: The yeast *SIN3* gene product negatively regulates the activity of the human progesterone receptor and positively regulates the activities of GAL4 and the HAP1 activator 724
 Nester EW → Fullner KJ 704
 Neuhuber F → Matzke MA 471
 Niesbach-Klösgen U → Krolkiewicz S 565
 Nivestadt V → Hundle B 406
 Nishizawa M, Taga S, Matsubara A: Positive and negative transcriptional regulation by the yeast GAL11 protein depends on the structure of the promoter and a combination of *cis* elements 301
 Nocera Di PP → Minchiotti G 152
 Nothwang HG → Coux O 769
 Nurse P → Carr AM 628
 Nyström T: Role of guanosine tetraphosphate in gene expression and the survival of glucose or seryl-tRNA starved cells of *Escherichia coli* K12 355
 Oballe J → Jimenez J 86
 Oberkofler H → Matzke MA 471
 Ohtsubo E → Kamisugi Y 133
 Ohtsubo E → Ohtsubo H 449
 Ohtsubo E → Tenzen T 441
 Ohtsubo H, Ohtsubo E: Involvement of transposition in dispersion of tandem repeat sequences (TrsA) in rice genomes 449
 Ohtsubo H → Kamisugi Y 133
 Ohtsubo H → Tenzen T 441
 Oka Y → Kikuchi Y 107
 O'Malley BW → Nawaz Z 724
 Ortel B → Reinbothe C 616
 Otten L, De Ruffray P: *Agrobacterium vitis* nopaline Ti plasmid pTiAB4: relationship to other Ti plasmids and T-DNA structure 493
 Palmer RE → Mori H 781
 Panchenko VG → Tokarskaya ON 658
 Papp I → Matzke MA 471
 Park Y-D → Matzke MA 471
 Parthier B → Reinbothe C 616
 Paterson AH → Kowalski SP 548
 Peterleit I → Wegener D 465
 Pflugfelder GO → Balles J 734
 Phear GA → Carr AM 628
 Philipp C → Wegener D 465
 Pimenta AL → Blight MA 431
 Poetsch W → Stockhaus J 286
 Pouwels PH → Lokman BC 117
 Prasad V → Heitz T 246
 Pratje E → Bauer M 272
 Rai R → Chiang T-Y 512
 Recillas Targa F → Coux O 769
 Reed D → Katavic V 363
 Reinbothe C, Ortel B, Parthier B, Reinbothe S: Cytosolic and plastid forms of 5-enolpyruvylshikimate-3-phosphate synthase in *Euglena gracilis* are differentially expressed during light-induced chloroplast development 616
 Reinbothe S → Reinbothe C 616
 Reynolds-Hager L → Wang H 675
 Richardson WVJ → Kües U 45
 Riera J, Henestrosa ARF de, Garriga X, Tapias A, Barbé J: Interspecies regulation of the *recA* gene of gram-negative bacteria lacking an E. coli-like SOS operator 523
 Rosamond J → Sherlock G 716
 Rossbach S, Kulpa DA, Rossbach U, Bruijn FJ de: Molecular and genetic characterization of the rhizopine catabolism (*mocABRC*) genes of *Rhizobium meliloti* L5-30 11
 Rossbach U → Rossbach S 11
 Roy A, Fuchs RPP: Mutational spectrum induced in *Saccharomyces cerevisiae* by the carcinogen N-2-acetylaminofluorene 69
 Ryskov AP → Tokarskaya ON 658
 Saedler H → Lönnig W-E 636
 Salas M → Bravo A 529
 Sandler SJ: Studies on the mechanism of reduction of UV-inducible *sulAP* expression by *recF* overexpression in *Escherichia coli* K-12 741
 Sänger HL → Krolkiewicz S 565
 Santos-Rosa H, Aguilera A: Increase in incidence of chromosome instability and non-conservative recombination between repeats in *Saccharomyces cerevisiae* *hpr1Δ* strains 224
 Sari-Gorla M → Fova C 424
 Schalén C → Katerov V 78
 Scherrer K → Coux O 769
 Schlör S → Schüle R 203
 Schmitz UK → Emmermann M 237
 Scholten IHJM → Mulder W 96
 Scholten M, Tommassen J: Effect of mutations in the -10 region of the *phoE* promoter in *Escherichia coli* on regulation of gene expression 218
 Schrader-Fischer G, Apel K: Organ-specific expression of highly divergent thionin variants that are distinct from the seed-specific crambin in the crucifer *Crambe abyssinica* 380
 Schreier PH → Wegener D 465
 Schüle R, Gentschev I, Schlör S, Gross R, Goebel W: Identification and characterization of two functional domains of the hemolysin translocator protein HlyD 203

- Scofield SR → Lawson EJR 608
 Screen S, Watson J, Dixon R: Oxygen sensitivity and metal ion-dependent transcriptional activation by NIFA protein from *Rhizobium leguminosarum* biovar *trifolii* 313
 Segond S → Heitz T 246
 Séror SJ → Blight MA 431
 Sowards R, Wiseman B, Jacobs HT: Apparent functional independence of the mitochondrial and nuclear transcription systems in cultured human cells 760
 Shaya N → Yoshida K 577
 Sherlock G, Bahman AM, Mahal A, Shieh J-C, Ferreira M, Rosamond J: Molecular cloning and analysis of *CDC28* and cyclin homologues from the human fungal pathogen *Candida albicans* 716
 Shieh J-C → Sherlock G 716
 Silva MJ da → Freitas FA de 177
 Silva Pereira I → Coux O 769
 Simon PJ → Lovett ST 294
 Sjodin C → Lawson EJR 608
 Sorge R van → Lokman BC 117
 Stanway CA → Henry YAL 506
 Steinecke P → Wegener D 465
 Steinmüller K → Stockhaus J 286
 Stephens KM → Fullner KJ 704
 Sternberg PW → Mori H 781
 Stillman DJ → Nawaz Z 724
 Stillman DJ → Wang H 675
 Stockhaus J, Poetsch W, Steinmüller K, Westhoff P: Evolution of the *C₄* phosphoenolpyruvate carboxylase promoter of the *C₄* dicot *Flaveria trinervia*: an expression analysis in the *C₃* plant tobacco 286
 Suter VA Jr → Lovett ST 294
 Suzuki F → Hongo M 265
 Syvanen M, Zhou Z-h, Wang J-y: Glutathione transferase gene family from the housefly *Musca domestica* 25
 Tabaeizadeh Z → Chen RD 195
 Taga S → Nishizawa M 301
 Takada Y → Inouye M 456
 Tapias A → Riera J 523
 Tenzen T, Matsuda Y, Ohtsubo H, Ohtsubo E: Transposition of *TnrI* in rice genomes to 5'-PuTAPy-3' sites, duplicating the TA sequence 441
 Thomas M → Le Guen L 390
 Thompson CJ → Duchêne A-M 61
 Tilburn J → Arst HN Jr 787
 To K-Y → Lin T-P 417
 Toh-e A → Kikuchi Y 107
 Tokarskaya ON, Kalnin VV, Panchenko VG, Ryskov AP: Genetic differentiation in a captive population of the endangered Siberian crane (*Grus leucogeranus* Pall.) 658
 Tommassen J → Bitter W 694
 Tommassen J → Scholten M 218
 Totolian AA → Katerov V 78
 Tsai M-J → Nawaz Z 724
 Tsuruya Y → Yoshida K 577
 Tymon AM → Kües U 45
 Uesono T → Kikuchi Y 107
 Venturi V, Wolfs K, Leong J, Weisbeek PJ: Amplification of the *groESL* operon in *Pseudomonas putida* increases siderophore gene promoter activity 126
 Vertès AA, Asai Y, Inui M, Kobayashi M, Kurusu Y, Yukawa H: Transposon mutagenesis of coryneform bacteria 397
 Wang H, Reynolds-Hager L, Stillman DJ: Genetic interactions between *SIN3* mutations and the *Saccharomyces cerevisiae* transcriptional activators encoded by *MCM1*, *STE12*, and *SWI1* 675
 Wang J-y → Syvanen M 25
 Wang M, Champion LE, Biessmann H, Mason JM: Mapping a mutator, *mu2*, which increases the frequency of terminal deletions in *Drosophila melanogaster* 598
 Warbrick E, Glover D: A *Drosophila* gene encoding a DEAD box RNA helicase can suppress loss of *wee1/mik1* function in *Schizosaccharomyces pombe* 654
 Ward LJH → Lubbers MW 160
 Watson J → Screen S 313
 Wegener D, Steinecke P, Herget T, Peterleit I, Philipp C, Schreier PH: Expression of a reporter gene is reduced by a ribozyme in transgenic plants 465
 Weisbeek PJ → Venturi V 126
 Weisbeek PJ → Bitter W 694
 Weisshaar B → Blecken J 371
 Westhoff P → Stockhaus J 286
 Wiseman B → Sowards R 760
 Wolfs K → Venturi V 126
 Xu CG → Yang GP 187
 Yagil E → Kolot M 623
 Yang GP, Maroof MAS, Xu CG, Zhang Q, Biyashev RM: Comparative analysis of microsatellite DNA polymorphism in landraces and cultivars of rice 187
 Yoshida K, Juni N, Awasaki T, Tsuruya Y, Shaya N, Hori SH: Retrotransposon-induced ectopic expression of the *Om(2D)* gene causes the eye-specific *Om(2D)* phenotype in *Drosophila ananassae* 577
 Yu LX → Chen RD 195
 Yukawa H → Vertès AA 397
 Yunes JA → Freitas FA de 177
 Zhang J-X, Martin J, Flint HJ: Identification of non-catalytic conserved regions in xylanases encoded by the *xynB* and *xynD* genes of the cellulolytic rumen anaerobe *Ruminococcus flavefaciens* 260
 Zhang Q → Yang GP 187
 Zhou Z-h → Syvanen M 25
 Zomer HWM → Bitter W 694
 Zwahlen M-C, Mollet B: ISL2, a new mobile genetic element in *Lactobacillus helveticus* 334
 Indexed in *Current Contents*

